



# PRODUCT GUIDE

TANKS AND ACCESSORIES  
FARM PRODUCTS  
AUTOMOTIVE ACCESSORIES  
GENERAL



# durapoly

created to last



Quality Endorsed Company ISO 9001:2000 Cert. No.99050 E.C.M.Q.A Engineering

## contents

<b>tanks and accessories</b>	<b>2</b>
<b>farm products</b>	<b>8</b>
feeders	10
kennels	16
<b>automotive accessories</b>	<b>18</b>
atv accessories	19
<b>general</b>	<b>22</b>

**CALL US – 02 6898 2002**  
FOR THE NUMBER OF YOUR LOCAL DEALER

## tanks c/w internal plumbing assemblies

Larger tanks are available with internal plumbing assemblies for connecting to a pipeline. The concealed plumbing is attractive and offers protection from livestock.



Code	Description
629	10,000L Tank c/w Internal Plumbing Assemblies
630	22,000L Tank c/w Internal Plumbing Assemblies

## tank colours



**SMOOTH CREAM**  
Classic Cream™



**BEIGE**



**MIST GREEN**  
Pale Eucalypt®



**RIVERGUM**  
Wilderness™



**HERITAGE GREEN**  
Cottage Green®



**HERITAGE RED**  
Manor Red®



**SLATE GREY**  
Woodland Grey®



**LIGHT GREY**



**BLACK**  
Night Sky®



**MERINO**  
Paperbark™

Colorbond® and names are registered trademarks of Blue Scope Steel Ltd.

™ colour names are also trademarks of Blue Scope Steel Ltd.

**NB.** Due to the printing process, colour may not be exact representations

### TERMS & CONDITIONS

Sales subject to Durapoly Terms & Conditions, available upon request.

### SPECIFICATIONS

Product Specifications may change at any time without notice.

### SIZES / MEASUREMENTS

All sizes, measurements and capacities are approximate only.

### DISCLAIMER

All recommendations are intended as suggestion only. Durapoly does not take any responsibility for the suitability of any product for the use it is given.

### SAFETY PROCEDURES / CHEMICALS

It is the users' responsibility to ensure chemical compatibility of chemicals with these products and also to follow all necessary safety procedures, including checking for spills where applicable.

### OPTIONAL COLOURS

Optional colours (if available) are subject to a surcharge and possibly delayed delivery. Properties of products may vary for different colours.

### HOW TO ORDER

Durapoly has a range of dealers that you may order through.

## 300L/2000L tank

### Quality fittings supplied

Inlet Strainer, Overflow,  
Mozzie Screen, Outlet and Tap

### 300L features

- Flat band from top to base on each side for a variety of fittings
- Sturdy metal tank stand available

### 2000L features

- Corrugated design, compact size



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
615	300L	66	640	2'1"	1130	3'8½"	1130	3'8½"
	2000L	440	1350	4'5"	1900	6'3"	1960	6'5"

## 3500L/5000L tank

### Quality fittings supplied

Inlet Strainer, Overflow,  
Mozzie Screen, Outlet and Tap

### 3500L/5000L features

- Streamlined smooth sides
- No internal support pole
- Modern Classic design



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
609	3500L	770	1800	5'11"	1525	5'	1630	5'4"
	5000L	1090	1800	5'11"	2130	7'	2200	7'2½"

## 600L/1200L bottle

### Quality fittings supplied

Inlet Strainer, Overflow,  
Mozzie Screen, Outlet and Tap

### features

- High outlet for filter or buckets
- Low outlet
- Compact size



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
631	600L	131	675	2'3"	1788	5'10"	1788	5'10"
	1200L	263	1350	4'5"	1788	5'10"	1788	5'10"

## 10,000L/22,000L tank

### Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

### 10,000L/22,500L features

- Streamlined smooth sides
- No internal support pole
- Modern Classic design



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
622	10,000L	2200	2550	8'4"	2210	7'3"	2350	7'8"
	22,000L	5000	3500	11'6"	2460	8'1"	2500	8'2"

## 2100L Slimline tank

### Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

### 2100L features

- Contour 'wave' design
- Will blend in nicely with homes and gardens
- Excellent structural strength – no steel bracing required
- Strong one-piece design with narrow width



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
632	2100L	462	L=2280 W=700	L=7'6" W=2'3½"	1955	6'5"	1955	6'5"

## 3000L Slimline tank

### Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

### 3000L features

- Modern attractive aesthetics
- Strong one-piece design
- Narrow Width



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
635	3000L	660	L=2570 W=790	L=8'5" W=2'7"	2170	7'1½"	2170	7'1½"

## 2600L Slimline tank

### Quality fittings supplied

Inlet Strainer, Overflow, Mozzie Screen, Outlet and Tap

### 2600L features

- Slimline Corrugated design
- Compact size for confined spaces
- Unique pot plant holders
- No steel bracing required



Code	Capacity (approx)		Diameter		Inlet Height		Overall Height	
	litres	gallons	mm	imperial	mm	imperial	mm	imperial
616	2600L	570	L=1970 W=1000	LL=6'5½" W=3'3"	1870	6'1½"	1870	6'1½"



# livestock combination tank & trough



level indicator



sweep-out ramp



## Features

- Guaranteed proven design to withstand sheep & cattle
- Internal plumbing prevents stock damage
- Supply of water is kept considerably cooler compared to troughs with no reservoir
- Designed for easy cleaning, with sweep out ramps
- Circular trough is easy for livestock to access. (In the case of the 22,000L equates to a trough length of approximately 9.5 metres!)
- When it is empty, the 5000L can be easily transported on a trailer
- Multi purpose – the tanks can be removed and used as a stand-alone rainwater tank

Colours: **Mist Green**

Code	Description	Trough Diameter	Tank Height	Trough Height
605	Combination Tank & Trough – 5000L	2500mm	2200mm	280mm (approx)
634	Combination Tank & Trough – 22,000L	4240mm	2500mm	350mm
608	Level Indicator	-		
Code	Description	Contracted Length	Extended Length	Width
521	Dual purpose trailer to suit 5000L	2750mm	5000mm	2450mm

# sheep & cattle feeders



REGISTERED DESIGN



### Features

- Non corrosive
- Weather hood protects feed from the elements
- Easy filling from ground level means there is no need to climb up on the feeder, thereby eliminating OH & S concerns
- Registered design
- Available in two sizes
- Skid available for transporting between paddocks – POA

NEW!



i

For feeding grain & roughage mix to cattle, suitable for feedlots or for paddock fattening. Ad lib distribution means that cattle can access as much food as they need.

Code	Description	Overall Width (incl Hood)	Trough Width	Overall Height (incl Lid)	Trough Depth
525	DuraFeeder-Cattle-40 bag	2920mm	2500mm	2160mm	330mm
527	DuraFeeder-Cattle-90 bag	2920mm	2500mm	3360mm	330mm
528	DuraFeeder-Sheep-40 bag	2920mm	2500mm	2160mm	330mm
529	DuraFeeder-Sheep-90 bag	2920mm	2500mm	3360mm	330mm

## molasses tanks

### features

- Rain tanks with thicker walls for molasses storage
- Threaded lid
- 3" Brass Outlet



Code	Description	Dimensions
623	10,000L Molasses Tank	2550 Dia x 2350 H
620	22,000L Molasses Tank	3500 Dia x 2500 H


## round bale feeder

When feed prices are high it is important to invest in a well-designed feeder to help prevent wastage.

### features

- High quality, stock friendly design
- Extremely sturdy poly
- 4 segments
- Stackable
- Optional roof


Cut-away showing cross section



Colours: Natural

Code	Description	Dimensions (L x W x H)
501	Round Bale Feeder	2000 dia. x 1545mm high (100mm thick)
503	Round Bale Feeder Roof	2300 x 2300 x 270mm
532	Round Bale Feeder c/w Roof	<b>FEEDER:</b> 2000 dia. x 1545mm h <b>ROOF:</b> 2300 x 2300 x 270mm

## liquid supplement feeders




504

(feeds approx. 400 sheep)  
Stands are optional



518 & 520



Optional lick

### features


- Extremely tough poly tub
- Optional licks to control intake
- Volumes: approx 130L plain  
approx 130L with 8 licks installed



Colours: Natural

Code	Description	Dimensions (L x W x H)
504	Sheep Tub - Plain	2360 x 440 x 160mm
518	Sheep Tub c/w 8 licks - complete	-
520	Sheep Tub Stand - Triple	-

## large auger hoppers



**923**  
triangular

**924**  
round

### features

- Suit 8'-12' augers
- Extremely tough poly
- Recessed at rear to protect from auger wear
- Unique sump for maximum emptying
- Mesh available to sit over auger (suits both hoppers)

Code	Description	Dimensions (L x W x H)
901	Triangular Auger Hopper - Capacity 130L	1300 x 1150 x 530mm
902	Round Auger Hopper - Capacity 260L	1150 x 1150 x 750mm
923	Triangular Auger Hopper w/mesh	
924	Round Auger Hopper w/mesh	
925	Mesh only - Large	

## mini auger hopper

### features

- Recess at rear to protect from auger wear
- Maximum emptying sump design
- Flexible and lightweight
- Suits 4 inch pencil augers
- Popular for hammer-milling and feed mixers
- Mesh available to sit over auger



Colours: **Black**

Code	Description	Dimensions (L x W x H)
903	Mini Auger Hopper - 60L	700 x 600 x 430mm
926	Mini Auger Hopper w/mesh	-
927	Auger Hopper Mesh - Mini	

## heavy duty horse/bull feeder



### features

- Deep anti-spill design
- Immensely strong anti-crack design
- 45L capacity

Colours: **Blue**

Code	Description	Dimensions (L x W x H)
510	Heavy Duty H/B Feeder	540 x 410 x 330mm

## air seeder hopper

### features

- Suits 8 inch sized augers
- Special sump for maximum emptying to avoid wastage of grain and fertiliser
- Fixture points for attaching to the auger



Code	Description	Dimensions (L x W x H)
904	Air Seeder Hopper	1200 x 880 x 550mm
906	Auger Hopper Strap - Pair	-

## calf shelter

### features

- Tough, UV stabilized polyethylene
- Louvre style ventilation
- Tie-down anchorage option by allowing for holes to be drilled in base
- Stackable, with anti-jam stacking tabs

Colours: **Mist Green**



**509**

Code	Description	Dimensions (L x W x H)
509	Calf Shelter - Series II	1700 x 1200 x 1450mm Doorway: (w) 670 x (h) 1200mm

## large dog kennel

### features

- Detachable roof
- Off-set opening offers protection from weather
- Durable poly



703

Colours: **Beige**

Code	Description	Dimensions (L x W x H)	Doorway (W x H)
703	Large Dog Kennel	1000 x 800 x 950mm	420 x 440mm

## medium dog kennel

### features

- One piece construction
- Off-set opening offers protection from weather



704

Colours: **Beige**

Code	Description	Dimensions (L x W x H)	Doorway (W x H)
704	Medium Dog Kennel	640 x 760 x 700mm	300 x 320mm

## small kennels

### features

- One piece construction
- Durable poly



705

707


Colours: **Beige**

Code	Description	Dimensions (L x W x H)	Doorway (W x H)
705	Small Dog Kennel - Plain	600 x 400 x 520mm	180 x 250mm
707	Small Dog Kennel - Corrugated	580 x 390 x 520mm	180 x 220mm

## pet feeders & drinkers

The sloped drinker base facilitates feed flow in the poly pet feeder on top.

- 25L(without float) of water & approx 11kg dog food
- Super strong
- Optional float to ensure constant water supply



Colours: **Beige**

Code	Description	Dimensions (L x W x H)
720	Sloped Drinker and Feeder Combo	655 x 380 x 560mm
721	Sloped Drinker c/w Float and Feeder Combo	655 x 380 x 560mm
711	Sloped Drinker Base only - Plain - 25L	655 x 380 x 300mm
712	Sloped Drinker Base only - c/w Float	655 x 380 x 300mm

## birthday kit

The Birthday Kit offers the high quality Durapoly Home Package Deal for the trusty canine.

### kit includes

- 1 x Dog Kennel (Large / Medium or Small)
- 1 x Drinker and Feeder Combo
- 1 x Storage Bin
- 1 x Feed Scoop
- 1 x Dog Tie-out Chain




Code	Description
723	Birthday Kit - Large
724	Birthday Kit - Medium
725	Birthday Kit - Small

## overbank siphons

### features


- Lightweight, but extremely sturdy, UV stabilised polyethylene
- Bright yellow colour ensures high visibility in paddock
- Tough one-piece design - no joins!
- Bank design ensures good stability over bank



Code	Description	Dimensions (W x L x H)
801	6" Siphon	150 x 2700 x 900mm
802	9" Siphon - Standard	225 x 2800 x 920mm
803	9" Siphon - Extra Long	225 x 3800 x 1300mm
804	12" Siphon - Jumbo	300 x 3800 x 1300mm
808	Priming Unit - 2 stroke Robin System	
809	Priming Unit - 4 stroke Robin System	

## load-ezy telescopic ramp

113



The 'Load-Ezy' ramp is an extremely tough and stylish poly ramp - a motorbike or small implement loading ramp, designed to protect your back and your bike. 'Load-Ezy' incorporates very unique features, setting it apart from traditional loading ramps.

Colours: Grey

Code	Description	Slide-in length	Extended length	Width	SWL kg
113	Load-Ezy Ramp - Single	1550mm	2300mm	300mm	350
114	Load-Ezy Ramp - Pair	1550mm	2300mm	300mm	700

## the atv box tray



### features

- Weather-resistant Box for storing tools, etc.
- Strong, tough poly
- Quick and easy-fitting with sub-surface screw provisions
- Top tray can be purchased separately as a tray (102)

Colours: Red Black

Code	Description	Dimensions (L x W x H)
103	ATV Box Tray	1110 x 550 x 225mm
102	ATV Tray Only - Series Two	1110 x 550 x 100mm

## atv toolboxes



Durapoly's robust Jillaroo Toolboxes are mini storage boxes of heavy duty poly construction, ideal to strap securely to your ATV Bike, for carrying valuable essentials, or simply use as miniature toolboxes around the home, in your truck, car or ute.

### features

- 2 sizes
- Heavy duty strap and cambuckle - quick to secure
- Numerous uses eg. fishing tackle, photography, shearing etc

Colours: Red Black

Code	Description	Dimensions (L x W x H)
107	Jillaroo Toolbox - Low Profile	640 x 290 x 220mm
110	Jillaroo Toolbox - Large	720 x 300 x 310mm

## atv tray



### features

- Extremely tough poly
- Anti-slip grip design

Colours: Red Black


Code	Description	Dimensions (L x W x H)
104	Jillaroo Tray Series One	880 x 540 x 100mm

## underbody rope boxes

### features

- Lockable
- Weather resistant
- Extremely tough poly

### orientation



Colours: Grey

Code	Description	Dimensions (approx mm)		
		Length	Width	Height
414	Underbody Rope Box 365-A	365 (Base) 585 (Top)	365 (Door) 585 (Body)	440
416	Underbody Rope Box 365-B	365 (Base) 585 (Top)	365 (Door) 585 (Body)	440
409	Underbody Rope Box 550-A	520 (Base) 750 (Top)	35 (Door) 240 (Body)	440
411	Underbody Rope Box 550-B	520 (Base) 750 (Top)	35 (Door) 240 (Body)	440

## storage pods

### features

- Secure 3 point locking system
- Weather resistant foam seal
- Extremely tough poly



Colours: Grey

Code	Description	Dimensions (approx mm)		
		Length	Width	Height
403	Storage Pod - Large	1050	450 (Base) 330 (Top)	245 (Front) 600 (Back)
406	Storage Pod - Small	700	450 (Base) 330 (Top)	245 (Front) 600 (Back)

## pannier sportz



### features

- Stylish design
- Lockable
- Extremely tough poly

### orientation




Code	Description	Dimensions (approx mm)		
		Length	Width	Height
2209	Pannier Sportz 520-A	520 (Base) 730 (Top)	70 (Door) 200 (Body)	440 (front) 310 (rear)
2212	Pannier Sportz 520-B	520 (Base) 730 (Top)	70 (Door) 200 (Body)	440 (front) 310 (rear)
2203	Pannier Sportz 675-A	675 (Base) 885 (Top)	70 (Door) 200 (Body)	440 (front) 310 (rear)
2206	Pannier Sportz 675-A	675 (Base) 885 (Top)	70 (Door) 200 (Body)	440 (front) 310 (rear)


## heavy duty shovels

### features

- Smooth, tough, one-piece moulded construction
- Extremely hard wearing
- No splinters!



511

Colours:  Multi

Code	Description	Dimensions (H x W)
511	Heavy Duty Shovel	1110 x 350mm


## storage bin 195L

The solution to storing and containing materials, secure from rodents.

### features

- Translucent poly for contents level checks
- Rodent proof
- Durable poly construction



Colours:  Green Natural

Code	Description	Dimensions (L x W x H)
1810	Storage Bin – 195L	450 x 500 x 830mm


## poly feed scoop

### features

- Tough, one-piece moulded construction
- 2.5kg capacity



512

Colours:  Multi

Code	Description
512	Poly Feed Scoop

## picking bucket

The contoured back and broad webbing harness are designed for user comfort

Colours:  Beige



Code	Description	Dimensions (L x W x H)
1803	Picking Bucket (plain)	300 x 450 x 200mm
1804	Picking Bucket (c/w Special Harness)	300 x 450 x 200mm

## heavy duty bucket


A heavy duty 20 litre bucket for easy dispensing. Applications include: dairies, piggeries, horse yards, gardening.

### features

- Virtually unbreakable, non-brittle poly
- Flat back for ease of carrying
- Handgrip in base for tipping



1801

Colours:  Multi

Code	Description	Dimensions
1801	Heavy Duty Bucket 20L w/ carry handle	340dia x 360mm high
1802	Heavy Duty Bucket 20L w/ hanging handle	340dia x 360mm high

## lockers

AQIS APPROVED

The durable polyethylene lockers offer attractive and long-lasting storage. The moulded design allows lockers to interlock for stability and strength. The lockers have a range of features/options which allow for versatile storage and security. The lockers can be free-standing as the poly is not affected by moisture, or can be fitted to stands or plinths, depending on your requirements.



Code	Description	Dimensions (W x D x H)
1819	Locker Dome Top (Full H/2 door)	370 x 570 x 1860mm
1820	Locker Angle Top (Full H/2 door)	370 x 570 x 2355mm
1813	Locker Dome Top (Half H/1 door)	370 x 570 x 905mm + (50mm Dome)
1815	Locker Angle Top (Half H/1 door)	370 x 570 x 1450mm



# **durapoly**

created to last

**Australian owned company**

Ph: 02 6898 2002 Fax: 02 6898 2123

Durapoly Pty Ltd ABN: 28 106 915 404

**Range of Quality, Australian-made Tanks – Round and Slimline – Excellent Service and Distribution**

**ORDER NOW THROUGH YOUR LOCAL STORE:**

Subject to Durapoly Terms & Conditions available upon request.  
Pricing and Specifications subject to change at any time without notice.